AR2000

Fuel Dispenser

The AR2000 is a compact one- or two-nozzle dispenser with an individual LCD display per fuelling position, suited to standard forecourts that need reliable, high-visibility dispensing without the footprint of a multi-nozzle unit.



AVAILABLE FLOW RATES
40, 80, 110 LPM

NUMBER OF NOZZLES
1 or 2

DISPLAY
LCD with blue backlight (per nozzle)

Technical Specifications

FEATURES

Available flow rates	40, 80, 110 LPM
Installation types	Multiple configurations available
Number of nozzles	1 or 2
Display	LCD with blue backlight (per nozzle)



IKDAM AR SERIES — AR2000

OPTIONS

- 10-inch multimedia screen
- Electronic payment system integration
- Vapor recovery system
- Custom paint

IKDAM AR SERIES

Pump & Volumetric Meter

Common specification across the entire IKDAM AR series

Volumetric Meter

Flow per revolution	0.5 L
Flow range	5 to 120 L/min
Operating pressure	0.12 to 0.35 MPa
Accuracy	±0.2%
Repeatability	≤0.1%
Service life	≥10,000,000 L
Calibration	Mechanical

Pump

Motor power	0.75 to 1.5 kW
Speed	660 rpm
Flow	45 to 120 L/min
Vacuum	≥0.054 MPa
Outlet pressure	0.18 to 0.35 MPa
Noise level	≤71 dB

IKDAM is a wholly Algerian-owned company specializing in fuel station equipment, fuel distribution systems and LPG (GPL) equipment.

Contact your IKDAM representative

Specifications may change without prior notice. Illustrations are non-contractual.